







EXTERIOR





RIGID COMPONENTS: IV THERAPY, INHALATION & INJECTION

Applications include:		 Rigid Component Solution Needs: Materials compliant with ISO 10993 & USP Class VI, if required Devices resistant to cracking with exposure to lipids, drugs &/or hand oils Components that retain mechanical & aesthetic integrity after sterilization Components that exhibit long-lasting bond strength High quality resins with proven performance in drug delivery devices
Copolyester, PBT & PC/PET Blends		
Copolyester	Eastman Tritan™ (Copolyester)	High chemical resistance to oncology drugs and carrier solvents, lipids, and disinfectants; clarity; no color shift after gamma/e-beam sterilization; free of BPA, BPS, halogens; high bond strength to tubing
Polybutylene Terephthalate (PBT)	DuPont™ Crastin* (PBT)	Excellent surface appearance; good printability; low extractables and volatiles; excellent gamma sterilization performance; good chemical resistance; alternative to nylon for low moisture uptake and dimensional stability; low wear/low friction
Polycarbonate/ Polyester (PC/PET)	Trinseo EMERGE [™] (PC/PET)	Chemical resistance to hospital disinfectants; UL94 V-0 and HB options; ISO 10993 tested
PC & PMMA		
Non-FR PC/Polyester	Covestro Makroblend° (Non-FR PC/Polyester)	Opaque; high strength; excellent toughness; chemical resistance; skin contact biocompatibility
Polycarbonate (PC)	Covestro Apec ^o (PC)	High-heat transparent, strong co-polycarbonate; suitable for autoclave sterilization; good hydrolysis resistance; biocompatible
	Covestro Makrolon° (PC)	Transparent and opaque; excellent impact resistance; low friction, glass-filled and lipid resistant options; sterilizable by gamma, EtO, e-beam and steam; biocompatible per ISO 10993-1 and USP Class VI
	Trinseo CALIBRE™ & CALIBRE™ MEGARAD™ (PC)	Transparent and opaque; lipid and gamma resistant options; sterilizable by gamma, e-beam, and EtO; animal-derivative free and ISO 10993 tested
PolyMethyl Methacrylate (PMMA)	Trinseo Plexiglas [®] SG Acrylics (PMMA)	Water-white clarity, transparency, BPA free and ease of processing; excellent resistance to lipids and plasticizers, withstands sterilization to disinfectants such as bleach and alcohols; select grades are formulated for gamma sterilization recovery and chemical resistance; ISO 10993 and USP Class VI tested
PA (Nylon), Rigid TPU & Rigid PVC & PVC Blends		
Polyamide (Nylon, PA)	DuPont™ Zytel° (PA66)	Good toughness; chemical resistance and colorability; excellent stiffness and strength; acceptable EtO, gamma, e-beam, and autoclave sterilization
	DuPont™ Zytel° (PA612)	Good toughness and colorability; acceptable EtO and autoclave sterilization (limited gamma/e-beam sterilization performance); improved dimensional stability; chemical resistance; reduced aqueous extractables versus PA66
Rigid Thermoplastic Polyurethane (TPU)	Covestro Texin° (TPU)	Biocompatible; excellent chemical resistance; bondable to polar substrates like PC; sterilizable by gamma, EtO, e-beam and dry heat; rigid 65 to 80 Shore D grades
Rigid Polyvinyl Chloride (PVC)	GEON Performance Solutions Resilience™ HC (PVC)	Excellent chemical resistance; physical integrity after chemical/cleaner exposure; inherently flame retardant; color branding available; excellent solvent bonding to PVC tubing
Rigid Polyvinyl Chloride/ABS (PVC/ABS)	GEON Performance Solutions Geon® HTX™ (PVC/ABS)	High temperature resistance; excellent chemical resistance; physical integrity after chemical/cleaner exposure; inherently flame retardant; color branding available; excellent solvent bonding to PVC tubing



RIGID COMPONENTS: IV THERAPY, INHALATION & INJECTION

Applications include:

IV y-sites · Materials compliant with ISO 10993 & USP Class VI, if required Spikes Devices resistant to cracking with exposure to lipids, drugs &/or hand oils Drip chambers Caps • Components that retain mechanical & aesthetic integrity after sterilization Syringe bodies Plungers · Components that exhibit long-lasting bond strength Valves Gears • High quality resins with proven performance in drug delivery devices Luers Actuators Styrenics & PC/ABS Blends Trinseo MAGNUM™ Opaque; custom colors; excellent impact and flow; low residuals; ISO 10993 tested (ABS) INEOS Styrolution NAS° Sparkling clarity; color neutrality; good rigidity; easy processing; no pre-drying needed; (SMMA) excellent alcohol resistance INEOS Styrolution Zylar® Exceptional toughness; excellent clarity; low specific gravity; no pre-drying needed; & Clearblend® (MBS) excellent thermal stability; superior chemical resistance **INEOS Styrolution** Rigid; heat resistant; outstanding transparency; good overall chemical resistance; Styrenics Lustran[®] (SAN) superior processing; good scratch resistance **INEOS Styrolution** Good transparency and excellent toughness; easy and versatile processing; Styrolux® (SBC) great for adding toughness to styrenic polymer blends Good clarity; good heat and overall chemical resistance; good impact strength; **INEOS Styrolution** Terlux® HD (MABS) good solvent bonding to PVC; outstanding surface quality INEOS Styrolution Lustran® Opaque appearance; outstanding chemical resistance; high impact strength; & Novodur® HD (ABS) excellent balance of properties; ease of processability; bondable Opaque; excellent mechanical and thermal properties; toughness; rigidity; Covestro Bayblend^o dimensional stability; easy processing; sterilizable by gamma, e-beam and EtO; (PC/ABS) biocompatible per ISO 10993-1 and USP Class VI Polycarbonate/ABS (PC/ABS) Trinseo EMERGE™ Opaque; high toughness; high flow; easy processing; sterilizable by gamma, e-beam, and EtO; ISO 10993 tested (PC/ABS) POM (Acetal), PP & PE Excellent low wear/low friction; excellent surface appearance; good chemical resistance; Polyoxy-DuPont™ Delrin® methylene alternative to nylon for low moisture uptake and dimensional stability; acceptable for EtO (POM) (Acetal, POM) and autoclave sterilization (not recommended for gamma/e-beam sterilization) INVISTA™ (PP) Polypropylene Pinnacle[™] (PP) (PP) & Polyethylene (PE) Good strength and stiffness; easy processing; sterilizable grades available Dow[™] HEALTH+ Polymers[™] (PE) Lyondellbasell™ (PP) & (PE)

Rigid Component Solution Needs:



FLEXIBLE COMPONENTS: IV THERAPY, INHALATION & INJECTION

Applications include: Flexible Component Solution Needs: O-rings · Materials compliant with ISO 10993 & USP Class VI, if required Plunger seals Optimum sealing force & compression set for gaskets & valves Gaskets Comfortable, easy to hold & operate devices · Spring seals Flow control · Soft-touch overmolds TPE, TPC-ET, TPU, TPV & Flexible PVC Avient Versaflex™ Proven healthcare solutions with hardness ranges 23–90 Shore A; autoclave, radiation **HC Series** and EtO sterilizable; good ambient and elevated compression set properties Thermoplastic (TPE) Elastomers (TPE) Avient Versaflex™ Proven healthcare solutions with hardness ranges 42–65 Shore A; autoclave, radiation **HC Overmolding Series** and EtO sterilizable; bondable to PC, ABS, PVC, COPE, PP, HIPS and others (TPE) Thermoplastic Polyester DuPont™ Hytrel® BPA-free; excellent flex fatigue and toughness; low temperature flexibility; Elastomers (TPC-ET) good chemical resistance (TPC-ET) Avient NEU[™] Specialty **Engineered Materials** Biocompatible; various durometer ranges; autoclave, radiation and EtO sterilizable (TPU) Thermoplastic Polyurethane (TPU) Covestro Texin° Biocompatible; soft touch; sterilizable; good chemical and abrasion resistance and toughness; (TPU) excellent bonding to polar substrates like PC; 70 to 95 Shore A grades Proven healthcare solutions with hardness ranges 45–90 Shore A; Avient Versalloy™ autoclave, radiation and EtO sterilizable; natural and colorable; (TPV) Thermoplastic smooth texture; bonds to PP Vulcanizate (TPV) Celanese Santoprene™ Durable sealing performance; elastic recovery; (TPV) excellent chemical resistance; compliance with medical standards Flexible **GEON Performance Solutions** Polyvinyl Engineered exclusively for the healthcare market; transparent and opaque colors; Chloride Geon™ Flexible PVC radiopaque grades available; durometer range from 55A to 40D; gamma and EtO sterilizable (PVC) Thermoset Silicone Elastomers Thermoset Silicone DuPont[™] Liveo[™] Biocompatible; non-irritating and non-sensitization; sterilizable; Elastomers/Liquid Silicone Elastomers made without plasticizers, phthalates or latex Silicone Rubber (LSR) **SBC INEOS Styrolution** Styrene Rubber-like mechanics; outstanding resilience; toughness and transparency; Butadiene Styroflex® extremely high elasticity; excellent bonding to other polymers Copolymer (SBC) (SBC)

FORMERRA

Healthcare Supplier Line Card

You face a unique set of challenges when designing parts for the healthcare industry. In addition to maintaining an effective manufacturing and supply chain operation, you're challenged with designing products that must meet strict regulatory and quality assurance standards. At Formerra, we help you achieve these goals with our comprehensive portfolio of leading suppliers, on-time delivery and a host of services focused on helping you succeed.





























FORMERRA HEALTHCARE SOLUTIONS

At Foremerra, we're prepared to help you:

- · Mitigate risk
- · Optimize design
- Accelerate commercialization

Contact us today to learn more about how we can help you solve your toughest challenges.



DRUG DELIVERY DEVICES THAT DELIVER

When it comes to administering life-saving drugs, your devices need to properly perform every time. With the right polymers, your devices will not only resist cracking, but can also bring greater comfort to both the patient and physician.

- IV y-Site
- Luers
- Needleless Valves
- Stopcocks & Connectors
- Drip Chambers
- Syringes
- Inhalers
- Injector Pens

1.888.502.0951 www.formerra.com



Copyright © 2022, Formerra, LLC. All the information in this literature is for general information purpose only. Formerra makes no representations, guarantees, or warranties of any kind with respect to the information contained in this literature, including its accuracy, completeness, reliability, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for pricing, property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. Formera makes no warranties or guarantees respecting suitability of either Formerra's products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. FORMERRA MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or products reflected by the information. This literature or any other provided literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner. Any action you take upon the information you find in this literature is strictly at your own risk. Formerra will not be liable for any losses and/or damages in connection with the use of this literature. By using this literature, you hereby consent to this disclaimer and agree to its terms.

Makrolon, Apec, Bayblend, Makroblend, and Texin are trademarks of the Covestro Group.

Trinseo STYRON" Polystyrene Resins are available in Europe and Asia Pacific only. In North America, STYRON" Polystyrene is available through a joint venture with Americas Styrenics.