



Product Selection Guide

FORMERRA HEALTHCARE SOLUTIONS

Surgical Instruments



Surgical Instruments

Surgical instruments used by physicians in operating rooms demand robust performance and functional design. To deliver the highest level of care to patients, these surgical instruments must be manufactured for optimal ergonomic design with materials that meet rigorous standards—FDA-approved, excellent chemical resistance and an ability to withstand repeated sterilization.

If your goal is to select the perfect material for rigid and flexible components of your medical devices, you're in the right place. Formerra can help you solve your toughest application challenges by providing a specialized approach to the latest material, colorant and additive technologies. Our skilled healthcare team is committed to help you mitigate risk, optimize design and accelerate product commercialization.



Our Suppliers

You face a unique set of challenges when designing parts for the healthcare industry. In addition to maintaining an effective manufacturing and supply chain operation, you're challenged with designing products that must meet strict regulatory and quality assurance standards. At Formerra, we help you achieve these goals with our comprehensive portfolio of leading suppliers, on-time delivery and a host of services focused on helping you succeed.



SURGICAL EQUIPMENT COMPONENTS:

High-temperature heat resistance, UL flammability rated

SOLUTION:

PSU, PPSU, PA, HH-PC

EQUIPMENT AND COMPONENT HOUSINGS:

UL 94V0/5VA rated, chemical and UV resistance, rigidity, toughness

SOLUTION:

FR-PC/PBT FR-PC/ABS, FR-ABS, coPET, Rigid PVC

MONITOR:

Transparency, screen protection, UL 94V0/5VA rated, chemical and UV resistance, rigidity, toughness

SOLUTION:

CoPET, PC



ELECTRICAL WIRE COVERINGS AND CONNECTORS:

Electrical insulation, flexibility, chemical, UV and abrasion resistance, UL 94V0 5VA rated

SOLUTION:

fPVC, TPU, TPV

TUBING AND CONNECTORS:

EtO, gamma stable, non-kink, tear strength, compression set resistance

SOLUTION:

fPVC, TPV, TPU, S-TPE

ERGONOMIC GRIPS:

Tactile features, non-slip, chemical and UV resistance, toughness

SOLUTION:

TPE, TPV, TPU

Rigid Components

Specialized Devices for Medical & Dental Surgical Procedures

Applications include:

- Housings
- Covers
- Handles
- Triggers
- Battery panels
- Nozzles
- Cannulae
- Valves
- Control knobs

Rigid Component Solution Needs:

- Materials compliant with ISO 10993 & USP Class VI, if required
- Excellent rigidity & dimensional stability
- Mechanical property retention after sterilization
- Materials that do not irritate the skin
- Excellent toughness to meet durability requirements
- Excellent chemical resistance to bodily fluids, drug solutions and disinfectant

Copolyester, PBT & PC/Polyester Blends

Copolyester	Eastman Tritan™ (Copolyester)	High chemical resistance to drugs, lipids, and a wide variety of hospital disinfectants; excellent toughness and impact resistance; retains mechanical properties, clarity, color, and gloss after disinfection and sterilization (gamma, e-beam, EtO); does not contain BPA; biocompatible
	Avient Trilliant™ (Copolyester)	Engineered solutions; good chemical resistance to disinfectants; V0 flammability performance; colorability; toughness; autoclave, radiation and EtO sterilization
Polybutylene Terephthalate (PBT)	Celanese Crastin® (PBT)	Excellent surface appearance; good printability; low extractables and volatiles; excellent gamma sterilization performance; good chemical resistance; alternative to nylon for low moisture uptake and dimensional stability; low wear/low friction
Polycarbonate/Polyester (PC/PET & PC/PBT)	Covestro Makroblend® (PC/Polyester)	Ultra-tough materials that meet demanding physical and environmental requirements; excellent resistance to harsh chemicals; opaque; skin contact biocompatibility available; flame retardant options available

High Heat PC, Glass Filled PC & PC

High Heat Polycarbonate (HH PC)	Covestro Apec® (HH PC)	High heat transparent, strong co-polycarbonate; suitable for autoclave sterilization; good hydrolysis resistance and biocompatible
Glass Filled Polycarbonate (GF PC)	Trinseo CALIBRE™ (GF PC)	5101 & 5102 (10 and 20%, respectively) glass filled PC; high rigidity and dimensional stability; full biocompatibility; animal-derivative free; suitable for EtO and radiation sterilization
Polycarbonate (PC)	Covestro Makrolon® (PC)	Extremely robust with strength, hardness and rigidity; lightweight with glass-like transparency; biocompatible; sterilizable by gamma, EtO, e-beam and steam
	Trinseo CALIBRE™ & CALIBRE MEGARAD™ (PC)	Transparent and opaque options; full biocompatibility; animal-derivative free; suitable for gamma and e-beam sterilization (2081); EtO and radiation sterilization (2061); custom colors

PA, Rigid TPU & Rigid PVC

Polyamide (Nylon, PA)	Celanese Zytel® (PA66)	Good toughness, chemical resistance and colorability; excellent stiffness and strength; glass reinforced available; sterilizable by EtO, gamma, e-beam, and autoclave sterilization; subject to yellowing in most sterilization techniques, except EtO
	Celanese Zytel® (PA612)	Good toughness, chemical resistance and colorability; sterilizable by EtO and autoclave sterilization (limited gamma/e-beam sterilization performance); improved dimensional stability, chemical resistance, and reduced aqueous extractables versus PA66
	Celanese Zytel® HTN (PA6T/XT, PA6T/66)	Excellent dimensional stability, chemical resistance, and colorability; sterilizable by EtO, autoclave, gamma, and e-beam
Rigid Thermoplastic Polyurethane (TPU)	Covestro Texin® (TPU)	Biocompatible; excellent chemical resistance; bondable to polar substrates like PC; sterilizable by gamma, EtO, e-beam and dry heat; rigid 65 to 80 Shore D grades
Rigid Polyvinyl Chloride (PVC)	GEON Performance Solutions Resilience™ HC (PVC)	Excellent chemical resistance; maintains physical integrity and color after frequent cleaner and/or disinfectant wipe down; inherently flame retardant to UL94 5VA; high impact toughness; USP Class VI; phthalate-free; sterilizable by gamma, EtO and steam

Rigid Components

Specialized Devices for Medical & Dental Surgical Procedures

Applications include:

- Housings
- Covers
- Handles
- Triggers
- Battery panels
- Nozzles
- Cannulae
- Valves
- Control knobs

Rigid Component Solution Needs:

- Materials compliant with ISO 10993 & USP Class VI, if required
- Excellent rigidity & dimensional stability
- Mechanical property retention after sterilization
- Materials that do not irritate the skin
- Excellent toughness to meet durability requirements
- Excellent chemical resistance to bodily fluids, drug solutions and disinfectant

Styrenics & PC/ABS Blends

Styrenics	Trinseo MAGNUM™ MED (ABS)	Opaque; full biocompatibility; suitable for EtO and radiation sterilization; custom colors
	INEOS Styrolution NAS® (SMMA)	Sparkling clarity; color neutrality; good rigidity; easy processing; no pre-drying needed; excellent alcohol resistance
	INEOS Styrolution Zylar® & Clearblend® (MBS)	Exceptional toughness; excellent clarity; low specific gravity (more parts per lb. of resin); no pre-drying needed; excellent thermal stability; superior chemical resistance
	INEOS Styrolution Lustran® (SAN)	Rigid; heat resistant; outstanding transparency; good overall chemical resistance; superior processing; good scratch resistance
	INEOS Styrolution Styrolux® (SBC)	Good transparency and excellent toughness; easy and versatile processing; great for adding toughness to styrenic polymer blends
	INEOS Styrolution K-Resin® (SBC)	Sparkling clarity; impact toughness; stiffness; exceptional gloss
	INEOS Styrolution Terluc® HD (MABS)	Good clarity; good heat and overall chemical resistance; good impact strength; good solvent bonding to PVC; outstanding surface quality
Polycarbonate/ABS (PC/ABS)	INEOS Styrolution Lustran® (ABS) & Novodur® HD (GF ABS)	Opaque appearance; outstanding chemical resistance; high impact strength; excellent balance of properties; ease of processability; bondable
	Covestro Bayblend® (PC/ABS)	Excellent mechanical and thermal properties; toughness, rigidity & dimensional stability; opaque; biocompatible options available; flame retardant options available
	Trinseo EMERGE™ MED (PC/ABS)	Opaque; full biocompatibility, suitable for EtO and radiation sterilization; custom colors

POM (Acetal), PP & PE

Polyoxymethylene (Acetal, POM)	DuPont™ Delrin® (POM)	Excellent low wear/low friction; excellent surface appearance; good chemical resistance; alternative to nylon for low moisture uptake and dimensional stability; sterilizable by EtO and autoclave (not recommended for gamma or e-beam sterilization)
Polypropylene (PP) & Polyethylene (PE)	INVISTA™ (PP)	Good strength and stiffness; easy processing; sterilizable grades available
	Pinnacle™ (PP)	
	Dow™ HEALTH+ Polymers (PE)	
	Lyondellbasell™ (PP) & (PE)	

Flexible Components

Specialized Devices for Medical & Dental Surgical Procedures

Applications include:

- Grips
- O-rings
- Gaskets
- Buttons
- Caps
- Tubing
- Seals

Flexible Component Solution Needs:

- Comfortable handles & grips
- Water-tight seals
- Durable buttons or knobs
- Chemically resistant materials for the user interface

Copolyester, PBT & PC/Polyester Blends


Thermoplastic Elastomers (TPE)	Avient Versaflex™ HC Overmolding Series (TPE)	Unlimited design freedom; easy processing; biocompatible; colorable; hardness ranges 42–65 Shore A; autoclave, radiation, and EtO sterilizable; bondable to many substrates; customizable haptics
Thermoplastic Polyester Elastomers (TPC-ET)	DuPont™ Hytrel® (TPC-ET)	BPA-free; excellent flex fatigue and toughness; low temperature flexibility; good chemical resistance; sterilizable by EtO, gamma, e-beam, and autoclave (limited autoclave performance with lower durometers)
	Avient NEU™ Specialty Engineered Materials (TPU)	Short-term in vivo solutions; biocompatible; various durometer ranges with customization; autoclave, radiation and EtO sterilizable
Thermoplastic Polyurethane (TPU)	Avient Trilliant™ (TPU)	Engineered solutions; various durometers with functional performance enhancement; autoclave, radiation and EtO sterilization
	Covestro Texin® (TPU)	Biocompatible; soft touch; sterilizable; good chemical and abrasion resistance and toughness; excellent bonding to polar substrates like PC; 70 to 95 Shore A grades
Thermoplastic Vulcanizate (TPV)	Avient Versalloy™ (TPV)	Proven healthcare solutions with hardness ranges 45–90 Shore A; autoclave; radiation and EtO sterilizable; natural and colorable; smooth texture; bonds to PP
	Celanese Santoprene™ (TPV)	Durable sealing performance; elastic recovery; excellent chemical resistance; compliance with medical standards
Flexible Polyvinyl Chloride (PVC)	GEON Performance Solutions Geon® Flexible PVC	Engineered exclusively for the healthcare market; transparent and opaque colors; durometer ranges from 55A to 40D; gamma and EtO sterilizable

High Heat PC, Glass Filled PC & PC

Thermoset Elastomers	DuPont™ Liveo™ Liquid Silicone Rubber (LSR)	Biocompatible; non-irritating and non-sensitization; sterilizable; made without plasticizers, phthalates or latex; used in Liquid Injection Molding (LIM) process
	DuPont™ Liveo™ High Consistency Rubber (HCR)	Biocompatible; non-irritating and non-sensitization; sterilizable; made without plasticizers, phthalates or latex; used in extrusion or compression molding process

SBC

Styrene Butadiene Copolymer (SBC)	INEOS Styrolution Styroflex® (SBC)	Rubber-like mechanics; outstanding resilience; toughness and transparency; extremely high elasticity; excellent bonding to other polymers
-----------------------------------	------------------------------------	---



Your surgical instruments need to enable physicians to perform sometimes complex and lifesaving surgeries. By choosing the right polymer for your device, you can help make these instruments more reliable and precise in their function, ultimately improving patient outcomes.

- Trocars
- Drills
- Surgical Saws
- Scalpels
- Clip Appliers
- Skin Staplers
- Forceps
- Ligasure Tools
- Arthroscopes
- Endoscopes
- Electrosurgical Tools
- Lancets

Convenience
•
Enhanced Visibility
•
24/7 Access

Formerra.com A Personalized Experience

Register for an account at Formerra.com for a personalized experience with access to the information and functionality you need—all in one place!

Registered users get access to:

- Advanced product search and filtering
- Real-time pricing and product information
- Material availability
- Online ordering & reordering
- Order information and shipment tracking

Take The Next Step

Visit **Formerra.com** to:

- Explore solutions by material properties, industries, and suppliers
- Register for an account to gain access to personalized information, ordering, and more!

We're Here To Help

For general inquiries or customer service

Call **1.888.502.0951**

Email **inquiries@formerra.com**

For polymer technical support

Call **1.866.765.9824**

Email **phd@formerra.com**

Capabilities

Design Support

Market Intelligence

Material Selection

Custom Formulations

Manufacturing Optimization

Technical Support

Supply Chain Optimization

Regulatory Compliance Support

Global Reach