





Product Selection Guide

FORMERRA HEALTHCARE SOLUTIONS


Surgical Instruments



Surgical Instruments

Surgical instruments used by physicians in operating rooms demand robust performance and functional design. To deliver the highest level of care to patients, these surgical instruments must be manufactured for optimal ergonomic design with materials that meet rigorous standards—FDA-approved, excellent chemical resistance and an ability to withstand repeated sterilization.

If your goal is to select the perfect material for rigid and flexible components of your medical devices, you're in the right place. Formerra can help you solve your toughest application challenges by providing a specialized approach to the latest material technologies. Our skilled healthcare team is committed to help you deliver safe and reliable, industry-leading products to patients, caregivers, and medical professionals alike.



Our Suppliers

In addition to maintaining an effective manufacturing and supply chain operation, you're faced with designing products that must meet strict regulatory and quality assurance standards. At Formerra, we help you achieve these goals with our comprehensive portfolio of leading suppliers, on-time delivery and a host of services focused on helping you succeed.































SURGICAL EQUIPMENT COMPONENTS:

High-temperature heat resistance, UL flammability rated SOLUTION:

PSU, PPSU, PA, HH-PC, PPS, LCP

EQUIPMENT AND COMPONENT HOUSINGS:


UL 94V0/5VA rated, chemical and UV resistance, rigidity, toughness **SOLUTION:**

FR-PC/PBT FR-PC/ABS, FR-ABS, coPET, Rigid PVC

MONITOR:

Transparency, screen protection, UL 94V0/5VA rated, chemical and UV resistance, rigidity, toughness **SOLUTION:**

CoPET, PC



ELECTRICAL WIRE COVERINGS AND CONNECTORS:

Electrical insulation, flexibility, chemical, UV and abrasion resistance, UL 94V0 5VA rated **SOLUTION:**

fPVC, TPU, TPV

TUBING AND CONNECTORS:

EtO, gamma stable, non-kink, tear strength, compression set resistance

SOLUTION:

fPVC, TPV, TPU, S-TPE

ERGONOMIC GRIPS:

Tactile features, non-slip, chemical and UV resistance, toughness

SOLUTION:

TPE, TPV, TPU

Rigid ComponentsSpecialized Devices for Medical & Dental Surgical Procedures

Applications include:

- Housings
- Cannulae
- Covers
- Valves
- Handles
- Control knobs
- Triggers
- Advanced Surgical
- Battery panels
 - Instruments
- Nozzles

Rigid Component Solution Needs:

- · Materials compliant with ISO 10993 & USP Class VI, if required
- · Excellent rigidity & dimensional stability
- · Mechanical property retention after sterilization
- Materials that do not irritate the skin
- · Excellent toughness to meet durability requirements
- · Excellent chemical resistance to bodily fluids, drug solutions and disinfectant

High-Performance Polyr	nere	
Thigh-Performance Polyn	ners	
Liquid Crystal Polymer (LCP)	Celanese Vectra® MT® (LCP)	Medical devices requiring high stiffness, high aspect ratio features. Capable of thin wall molding and appropriate for direct tissue contact
Polyphenylene Sulfide (PPS)	Celanese Fortron® MT® (PPS)	High-temperature thermoplastic material that offers an excellent combination of thermal, mechanical and chemical resistance properties
Copolyester, PBT & PC/F	Polyester Blends	
Copolyester	Eastman Tritan (Copolyester)	High chemical resistance to drugs, lipids, and a wide variety of hospital disinfectants; excellent toughnes and impact resistance; retains mechanical properties, clarity, color, and gloss after disinfection and sterilization (gamma, e-beam, EtO); does not contain BPA; biocompatible
	Avient Trilliant* (Copolyester)	Engineered solutions; good chemical resistance to disinfectants; V0 flammability performance; colorability; toughness; autoclave, radiation and EtO sterilization
Polybutylene Terephthalate (PBT)	Celanese Crastin® (PBT)	Excellent surface appearance; good printability; low extractables and volatiles; excellent gamma sterilization performance; good chemical resistance; alternative to nylon for low moisture uptake and dimensional stability; low wear/low friction
Polycarbonate/Polyester (PC/PET & PC/PBT)	Covestro Makroblend® (PC/Polyester)	Ultra-tough materials that meet demanding physical and environmental requirements; excellent resistance to harsh chemicals; opaque; skin contact biocompatibility available; flame retardant options available
High Heat PC, Glass Fille	ed PC & PC	
High Heat Polycarbonate (HH PC)	Covestro Apec® (HH PC)	High heat transparent, strong co-polycarbonate; suitable for autoclave sterilization; good hydrolysis resistance and biocompatible
Glass Filled Polycarbonate (GF PC)	Trinseo CALIBRE" (GF PC)	5101 & 5102 (10 and 20%, respectively) glass filled PC; high rigidity and dimensional stability; full biocompatibility; animal-derivative free; suitable for EtO and radiation sterilization
Polycarbonate (PC)	Covestro Makrolon® (PC)	Extremely robust with strength, hardness and rigidity; lightweight with glass-like transparency; biocompatible; sterilizable by gamma, EtO, e-beam and steam
	Trinseo CALIBRE" & CALIBRE MEGARAD™ (PC)	Transparent and opaque options; full biocompatibility; animal-derivative free; suitable for gamma and e-beam sterilization (2081); EtO and radiation sterilization (2061); custom colors
PA, Rigid TPU & Rigid P	vc	
- Polyamide (PA, Nylon) -	Celanese Zytel® (PA66)	Good toughness, chemical resistance and colorability; excellent stiffness and strength; glass reinforced available; sterilizable by EtO, gamma, e-beam, and autoclave sterilization; subject to yellowing in most sterilization techniques, except EtO
	Celanese Zytel® (PA612)	Good toughness, chemical resistance and colorability; sterilizable by EtO and autoclave sterilization (limited gamma/e-beam sterilization performance); improved dimensional stability, chemical resistance, and reduced aqueous extractables versus PA66
	Celanese Zytel® HTN (PA6T/XT, PA6T/66)	Excellent dimensional stability, chemical resistance, and colorability; sterilizable by EtO, autoclave, gamma, and e-beam
Rigid Thermoplastic Polyurethane (TPU)	Covestro Texin® (TPU)	Biocompatible; excellent chemical resistance; bondable to polar substrates like PC; sterilizable by gamma, EtO, e-beam and dry heat; rigid 65 to 80 Shore D grades
Rigid Polyvinyl Chloride (PVC)	GEON Performance Solutions Resilience" HC (PVC)	Excellent chemical resistance; maintains physical integrity and color after frequent cleaner and/or disinfectant wipe down; inherently flame retardant to UL94 5VA; high impact toughness; USP Class VI; phthalate-free; sterilizable by gamma, EtO and steam



Rigid ComponentsSpecialized Devices for Medical & Dental Surgical Procedures

Applications include:

- Housings
- Cannulae
- Covers
- Valves
- Handles
- Control knobs
- Triggers
- Battery panels
- Nozzles

Rigid Component Solution Needs:

- · Materials compliant with ISO 10993 & USP Class VI, if required
- · Excellent rigidity & dimensional stability
- Mechanical property retention after sterilization
- · Materials that do not irritate the skin
- · Excellent toughness to meet durability requirements
- · Excellent chemical resistance to bodily fluids, drug solutions and disinfectant

Styrenics & PC/ABS Blends				
Styrenics	Trinseo MAGNUM [™] MED (ABS)	Opaque; full biocompatibility; suitable for EtO and radiation sterilization; custom colors		
	INEOS Styrolution NAS® (SMMA)	Sparkling clarity; color neutrality; good rigidity; easy processing; no pre-drying needed; excellent alcohol resistance		
	INEOS Styrolution Zylar® & Clearblend® (MBS)	Exceptional toughness; excellent clarity; low specific gravity (more parts per lb. of resin); no pre-drying needed; excellent thermal stability; superior chemical resistance		
	INEOS Styrolution Luran® (SAN)	Rigid; heat resistant; outstanding transparency; good overall chemical resistance; superior processing; good scratch resistance		
	INEOS Styrolution Styrolux® and K-Resin® (SBC)	Excellent transparency, good toughness, dimensionally stable, excellent bonding capabilities		
	INEOS Styrolution Terlux® HD (MABS)	Good clarity; good heat and overall chemical resistance; good impact strength; good solvent bonding to PVC; outstanding surface quality		
	INEOS Styrolution, Novodur® HD (GF ABS)	Opaque appearance; outstanding chemical resistance; high impact strength; excellent balance of properties; ease of processability; bondable		
Polycarbonate/ABS (PC/ABS)	Covestro Bayblend® (PC/ABS)	Excellent mechanical and thermal properties; toughness, rigidity & dimensional stability; opaque; biocompatible options available; flame retardant options available		
	Trinseo EMERGE" MED (PC/ABS)	Opaque; full biocompatibility, suitable for EtO and radiation sterilization; custom colors		
POM (Acetal), PP & PE				
Polyoxymethylene POM (Acetal)	Delrin Delrin®	Excellent low wear/low friction; excellent surface appearance; good chemical resistance; alternative to nylon for low moisture uptake and dimensional stability; sterilizable by EtO and autoclave (not recommended for gamma or e-beam sterilization)		
Polypropylene (PP) & Polyethylene (PE)	INVISTA" (PP)	Good strength and stiffness; easy processing; sterilizable grades available		
	Pinnacle (PP)			
	Dow HEALTH+Polymers (PE)			
	Lyondellbasell™ (PP) & (PE)			

Flexible Components Specialized Devices for Medical & Dental Surgical Procedures

Applications include:

- Caps
- Grips O-rings Gaskets
- Tubing Seals
- Buttons


- **Flexible Component Solution Needs:**
 - · Comfortable handles & grips
 - · Water-tight seals
 - Durable buttons or knobs
 - · Chemically resistant materials for the user interface

Copolyester, PBT & PC/Polyester Blends				
Thermoplastic Elastomers (TPE)	Avient Versaflex* HC Overmolding Series (TPE)	Unlimited design freedom; easy processing; biocompatible; colorable; hardness ranges 42–65 Shore A; autoclave, radiation, and EtO sterilizable; bondable to many substrates; customizable haptics		
Thermoplastic Polyester Elastomers (TPC-ET)	Celanese Hytrel® (TPC-ET)	BPA-free; excellent flex fatigue and toughness; low temperature flexibility; good chemical resistance; sterilizable by EtO, gamma, e-beam, and autoclave (limited autoclave performance with lower durometers		
Thermoplastic Polyurethane (TPU)	Avient NEU® Specialty Engineered Materials (TPU)	Short-term in vivo solutions; biocompatible; various durometer ranges with customization; autoclave, radiation and EtO sterilizable		
	Avient Trilliant" (TPU)	Engineered solutions; various durometers with functional performance enhancement; autoclave, radiation and EtO sterilization		
	Covestro Texin® (TPU)	Biocompatible; soft touch; sterilizable; good chemical and abrasion resistance and toughness; excellent bonding to polar substrates like PC; 70 to 95 Shore A grades		
Thermoplastic Vulcanizate (TPV)	Avient Versalloy [™] (TPV)	Proven healthcare solutions with hardness ranges 45–90 Shore A; autoclave; radiation and EtO sterilizable; natural and colorable; smooth texture; bonds to PP		
	Celanese Santoprene® (TPV)	Durable sealing performance; elastic recovery; excellent chemical resistance; compliance with medical standards		
Flexible Polyvinyl Chloride (PVC)	GEON Performance Solutions Geon® Flexible PVC	Engineered exclusively for the healthcare market; transparent and opaque colors; durometer ranges from 55A to 40D; gamma and EtO sterilizable		
High Heat PC, Glass Fille	ed PC & PC			
Thermoset Elastomers	DuPont [®] Liveo [®] Liquid Silicone Rubber (LSR)	Biocompatible; non-irritating and non-sensitization; sterilizable; made without plasticizers, phthalates or latex; used in Liquid Injection Molding (LIM) process		
	DuPont" Liveo" High Consistency Rubber (HCR)	Biocompatible; non-irritating and non-sensitization; sterilizable; made without plasticizers, phthalates or latex; used in extrusion or compression molding process		
SBC				
Styrene Butadiene Copolymer (SBC)	INEOS Styrolution Styroflex® (SBC)	Rubber-like mechanics; outstanding resilience; toughness and transparency; extremely high elasticity; excellent bonding to other polymers		





From concept through distribution, our expertise is at your service.



Take The Next Step

Visit **Formerra.com** to:

- Explore solutions by material properties, industries, and suppliers
- Register for an account to gain access to personalized information, ordering, and more!

We're Here To Help

For general inquiries or customer service Call **1.888.502.0951**

For polymer technical support Email **phd@formerra.com**

Capabilities

Design Support

Market Intelligence

Material Selection

Custom Formulations

Manufacturing Optimization

Technical Support

Supply Chain Optimization

Regulatory Compliance Support

Global Reach

Copyright © 2024, Formerra, LLC. All the information in this literature is for general information purpose only, Formerra makes no representations, guarantees, or warranties of any kind with respect to the information contained in this literature, including its accuracy, completeness, reliability, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for pricing, property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. Formerra products or the information or your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. FORMERRA MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or products reflected by the information. This literature or any other provided literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner. Any action you take upon the information you find in this literature, you hereby consent to this disclaimer and agree to its terms.