



Outdoor High-Performance
Powersports Supplier Line Card

MATERIAL
SOLUTIONS
DRIVING
THE FUTURE



Solid, Trusted, Proven

Off-road, on-road, on the trails or on the water, your customers envision a world with no boundaries. To deliver on this spirit of adventure, your vehicles must surpass any design boundaries. With an unnumbered list of challenges you face on a daily basis, now more than ever, it is important to find quick, innovative, sustainable, and reliable solutions to these problems. With Formerra's unparalleled industry knowledge, supply chain excellence, and best-fit material approach, you can leverage decades of experience to help design the next generation of Powersports vehicles that go way beyond.



Our Suppliers



Work. Play. Everything In Between.

A popular saying goes “rules are meant to be broken” and nowhere is that more apparent than in the increasing popularity for Powersports vehicles; there’s something captivating about being able to travel on terrain that is typically out of bounds for traditional vehicles. From off-road enthusiasts to ranchers and farmers, there’s a vehicle that can take the customer to where they want to be. But it isn’t just the customers who are looking to break the rules, Powersports vehicle manufacturers are looking to do the same for their designs. The rugged build and high performance of these vehicles are now being complemented with new breakthroughs in engine and wire harness technology to create an even more extreme experience or provide the utility necessary to support a livelihood. Whether it’s replacing metal parts with a thermoplastic solution in order to make



the vehicle lighter, reinventing a popular model with bold new looks or distinct colors, incorporating environmentally friendly materials into traditional components, or even radically reimagining a vehicle to include electric or hybrid models, Formerra can help Powersports OEMs and their suppliers to challenge the norm. With an expansive material portfolio and reliable supply chain helping to simplify the process, Formerra is your partner to help take your customers wherever they want to go.

EXTERIOR

Primary Selection Criteria:
Impact Resistance
Solutions: Polypropylene,
High Density Polyethylene,
TPO, ASA, Custom Nylons,
PC/ABS

INTERIOR

Primary Selection Criteria:
Impact Resistance/
Aesthetics
Solutions:
Polypropylene, Glass-Filled
Polypropylene, HDPE, ABS,
PC/ABS, ASA,
Nylons, TPE

ELECTRICAL (WIRING & LIGHTING)


Primary Selection Criteria
(WIRING): Electrical Properties
Primary Selection Criteria
(LIGHTING): Clarity
Solutions (WIRING & LIGHTING):
PC, PC Blends,
Nylons, PBT

CHASSIS

Primary Selection Criteria:
Mechanical Properties
Solutions: Long Fiber
Thermoplastics, Nylons,
Acetals, TPU

ENGINE ENCLOSURE

Primary Selection Criteria:
Temperature and
Chemical Resistance
Solutions: Nylons,
PBT, PET



By Chemistry

FOCUS APPLICATIONS

Product Family	Supplier	Product Name	Interior	Exterior	Electrical	Chassis	Engine Enclosure
Acetal (POM)	Delrin	Delrin®	x	x	x	x	
Acrylonitrile Butadiene Styrene (ABS)	INEOS Styrolution	Lustran®, Novodur®, Terluran®	x		x		
ABS Blends	INEOS Styrolution	Terblend® N, Triax®			x		
Acrylonitrile Styrene Acrylate (ASA)	INEOS Styrolution	Luran®S	x	x			
	LyondellBassell	Centrex®	x	x			
ASA Blends	INEOS Styrolution	Terblend®S	x	x			
	LyondellBassell	Centrex®	x	x			
Bio-Fiber Reinforced Thermoplastic Polyolefin (TPO)	RheTech, Inc.	RheVision	x	x			
	The Plastics Group of America	Polifil	x	x			
Colorants, Additives & Inks	Avient	OnColor™	x	x			
High Density Polyethylene (HDPE) Compounds	Chevron Phillips	Marlex®	x	x			
	Dow	DOWLEX®	x	x			
	LyondellBassell	Alathon®, Petrothene®, Purell®	x	x			
Nylon (PA 6, PA 66, PA 66/6, PA 66/6T, PA 12, PA 612, Transparent PA)	Avient	Nymax™	x	x	x		x
	Celanese	Zytel®	x	x	x		x
	Nylene	Nylene	x	x	x		x
	Evonik	VESTAMID®, TROGAMID®	x				x
Polycarbonate (PC) & PC Blends (PC+ABS, PC+ASA, PC+SAN, PC+PBT, PC+PET, PC+TPU)	Covestro	Bayblend®, Makroblend®, Makrolon® Texin®	x	x	x		
High Heat Polycarbonate (HHPC)	Covestro	Apec®			x		
Polyethylene Terephthalate (PBT)	Celanese	Crastin®			x		x
Polybutylene Terephthalate (PET)	Celanese	Rynite®			x		x
Polypropylene (PP) & PP Blends (Alloy, Compounds, Copolymer)	INEOS Olefins & Polymers	INEOS®	x	x			
	INVISTA	INVISTA®	x	x			
	LyondellBassell	Hifax®, Hostacom®, Pro-Fax®	x	x			
	Pinnacle Polymers	Pinnacle PP	x	x			
	GEON Performance Solutions	GEON® RESILIENCE®	x	x			
	RheTech, Inc.	RheComp	x	x			
Specialty Formulations	The Plastics Group of America	Polifil	x	x			
	Avient	Therma-Tech™, Stat-Tech™, Complēt™, Edgetek™	x	x	x	x	x
Styrene Methyl Methacrylate (SMMA)	INEOS Styrolution	NAS® XC, NAS® XC UV			x		
Thermoplastic Polyester Elastomer (TPC-ET)	Celanese	Hytrel®		x	x	x	
Thermoplastic Polyolefin (TPO) Compunds	GEON Performance Solutions	GEON® RESILIENCE®	x	x			
	RheTech, Inc.	RheComp	x	x			
Thermoplastic Elastomer (TPE)	Avient	Dynaflex™, Versalloy™, Versolan™, OnFlex™, Versaflex™	x				
Thermoplastic Polyolefin Elastomer (TPO (POE))	LyondellBassell	Adflex®, Hifax®, Hostacom®		x			
Thermoplastic Polyurethane (TPU) Polyester/Polyether	Covestro	Texin®, Desmopan®				x	

By Supplier

FOCUS APPLICATIONS

Supplier	Chemistry	Brands	Interior	Exterior	Electrical	Chassis	Engine Enclosure
 AVIENT	PA 6, PA 66, Specialty Formulations, TPE, Color, Additives & Ink	Dynaflex™, Versalloy™, Versolan™, Nymax™, Nymax™ PIR, OnColor™, OnFlex™, Versaflex™, Therma-Tech™, Stat-Tech™, Complēt™, Edgetek™	X	X	X	X	X
 Celanese <small>The chemistry inside innovation™</small>	PA 6, PA 66, PA66/6 Copolymer, PA 66/6T Copolymer	Zytel®, Crastin®, Hytrel®, Rynite®	X	X	X	X	X
 Chevron Phillips CHEMICAL	HDPE	Marlex®	X	X			
 covestro	PC+ABS, HH PC, PC, PC+ASA, PC+SAN, PC+TPU, TPU Polyester, TPU Polyether	Bayblend®, Apec®, Makroblend®, Makrolon®, Texin®, Desmopan®	X	X	X	X	
 Dow	HDPE	DOWLEX®	X	X			
 Delrin™	Acetal (POM)	Delrin®	X	X	X	X	
 EVONIK <small>Leading Beyond Chemistry</small>	PA 12, PA 612, Transparent PA	VESTAMID®, TROGAMID®	X				X
 GEON <small>Performance Solutions</small>	PP Compounds, TPO Compounds	GEON® RESILIENCE®	X	X			
 INEOS Olefins & Polymers USA	PP Copolymer	INEOS®	X	X			
 INEOS STYROLUTION	ABS, ASA	Luran®S, Lustran®, NAS®XC, NAS XC® UV, Novodur®, Terblend® N, Terblend® S, Terluran®, Triax®	X	X	X		
 INVISTA™ <small>POLYPROPYLENE</small>	PP Copolymer	INVISTA™	X	X			
 LYB LyondellBasell	ASA, PP Copolymer, PP Compounds, TPO (POE)	Adflex®, Centrex®, Hifax®, Hostacom®, Pro-fax®	X	X			
 Nylene™	PA 6, PA 66, PA 66/6	Nylene	X	X	X		X
 Pinnacle Polymers	PP Copolymer	Pinnacle PP	X	X			
 RheTech <small>A HEXPOL COMPANY</small>	PP Compounds, TPO Compounds, Bio-Fiber Reinforced TPO	RheComp, RheVision	X	X			
 THE PLASTICS GROUP OF AMERICA	PP Compounds, TPO Compounds, Bio-Fiber Reinforced TPO	Polifil	X	X			

Convenience
•
Enhanced Visibility
•
24/7 Access

Formerra.com A Personalized Experience

Register for an account at Formerra.com for a personalized experience with access to the information and functionality you need—all in one place!

Registered users get access to:

- Advanced product search and filtering
- Real-time pricing and product information
- Material availability
- Online ordering & reordering
- Order information and shipment tracking

Take The Next Step

Visit **Formerra.com** to:

- Explore solutions by material properties, industries, and suppliers
- Register for an account to gain access to personalized information, ordering, and more!

We're Here To Help

For general inquiries or customer service

Call **1.888.502.0951**

Email **inquiries@formerra.com**

For polymer technical support

Call **1.866.765.9824**

Email **phd@formerra.com**

Experts in these areas and beyond.



Copyright © 2024, Formerra, LLC. All the information in this literature is for general information purpose only. Formerra makes no representations, guarantees, or warranties of any kind with respect to the information contained in this literature, including its accuracy, completeness, reliability, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for pricing, property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. Formerra makes no warranties or guarantees respecting suitability of either Formerra's products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. FORMERRA MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or products reflected by the information. This literature or any other provided literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner. Any action you take upon the information you find in this literature is strictly at your own risk. Formerra will not be liable for any losses and/or damages in connection with the use of this literature. By using this literature, you hereby consent to this disclaimer and agree to its terms.