



Supplier Line Card

MATERIAL
SOLUTIONS
THAT BRING
YOUR
PRODUCTS
TO LIFE



Solid, Trusted, Proven

Offering unparalleled industry knowledge, supply chain excellence, and an expansive material portfolio combined with our unmatched technical expertise, we come alongside our customers, offering support and solutions to ignite collaboration and drive success.



Our Suppliers





By Chemistry

Product Family	Product Name	Description/Grades Available
ABS	INEOS Styrolution: Novodur®, Novodur® Ultra, Terluran®	General Purpose, Low Gloss, High Flow, High Impact
ABS Blends (ABS+PA, ABS+PMMA)	INEOS Styrolution: Novodur®, Terblend®, Triax®	General Purpose, High Gloss, Glass Reinforced
Acetal (POM)	Celanese: Amcel®, Celcon®, Hostaform®, Kepital® Delrin: Delrin®	General Purpose, Lubricated, Glass Reinforced, High Flow
Acrylic (PMMA)	Trinseo: Plexiglas®, Plexiglas® Diffuse™	Copolymer, General Purpose, High Impact, High Flow, Specialty Grades
Additives	Avient: OnCap™	Full Portfolio of Polymer Additives
ASA	INEOS Styrolution: Luran® SC, Terblend® S LyondellBasell: Centrex®	Weatherable, High Gloss, Low Gloss, Excellent Flow
ASA Blends	LyondellBasell: Centrex® INEOS Styrolution: Terblend®	Weatherable, Good Flow, Good Surface Finish, High Impact Resistance, High Gloss
Cellulosics	Eastman: Tenite™	Acetate, Butyrate, Propionate
Colorants	Avient: OnColor™	Solid & Liquid Colorants; Standard, Custom & Special Effects
Copolyester Elastomer (COPE)	Eastman: Neostar™	Good Toughness, Clarity, Puncture Resistance
Copolyesters (PETG, PCTG, PCTM)	Eastman: Eastar™, Durastar™, Provista™, Tritan™	UV Stabilized, Flame Retardant, Good Impact Resistance, Transparent
EA	Dow: FUSABOND™	Plastic Modification
EAA	Dow: NUCREL™, SURLYN™	Food Contact, Good Heat Seal, Low Temperature Heat Seal
EBA, EnBA	Dow: ELVALOY™	Slip, Antiblock, Antioxidant, Good Toughness
EEA	Dow: AMPLIFY™, ELVALOY™	Polymer Modification, Excellent Thermal Stability, High Flexibility, Low Temperature Toughness
EMA	Dow: ELVALOY™ Westlake: EMAC®	Antiblocking, Antioxidant, Slip
EMAA	Dow: NUCREL™, SURLYN™	Good Stability, High Clarity, Antioxidant, Low Hardness
EMAAA	Dow: NUCREL®	Foil Coating, Good Adhesion
EVA	Celanese: Ateva®, Ateva® G Medical Grade Dow: ELVAX™ LyondellBasell: Ultrathene® Westlake: Elevate™	Antioxidant, Food Contact, Low Temperature Heat Seal, Good Toughness, Plastics Modification
Ionomer	Dow: SURLYN™	Antiblock, Food Contact, Slip, Abrasion Resistance
Liquid Crystal Polymer (LCP)	Celanese: Vectra® Zenite®, CoolPoly™	Heat Resistant, Dimension Stability, Anti-Static, Conductive, Flame Retardant, Hydrolysis Resistant, Mineral/Glass Reinforced
Long Fiber Thermoplastic (LFT)	Celanese: Celstran®	Very Good Melt Flowability, Very High Impact Resistance, Low Emission Grades, Superior Chemical and Corrosion Resistance, Eco-friendly Processing/Recyclability
MABS	INEOS Styrolution: Terlux®	Excellent Transparency, Good Chemical Resistance, Good Stiffness
MAH-g	Dow: AMPLIFY™, RETAIN™	Adhesives for Multi-layer Film, Functional Polymers
MBS	INEOS Styrolution: Clearblend®, Zylar®	Balance of Toughness, Processability & Clarity

By Chemistry

Product Family	Product Name	Description/Grades Available
Nylon (PA 6, PA 66, PA 66/6, PA 66/6T, PA 610, PA 612, PA 11, PA 12, PA 1010, PPA, PA 1012, Transparent PA)	Avient: Nymax™, Nymax™ PIR Celanese: Celanyl®, CoolPoly®, Ecomid®, Frianyl®, Minlon®, Selar® PA, Zytel® Evonik: VESTAMID®, TROGAMID® CX	Neat, Ceramic & Glass Fiber Reinforced, Glass & Mineral Filled, Impact Modified, Reduced Moisture, High Heat, Flexible Nylons, Flame Retardant Compounds
Olefin Block Copolymer (OBC)	Dow: INFUSE™	Excellent Processability, Stain Resistance, High Temperature Resistance, Abrasion Resistance
Polybutylene Terephthalate (PBT)	Celanese: Crastin®, Celanex®, Vandar®	Enhanced Flow, Hydrolysis Resistant, Good Heat Resistance
Polyether Ether Ketone (PEEK)	Evonik: VESTAKEEP®	High Service Temperatures, Inherent Flame Resistance. Superior Chemical Resistance, Dimensional stability, High Abrasion Resistance
Polycarbonate (PC)	Covestro: Apec®, Makrolon®	Medical/FDA, Flame Retardant, Radiation Grades, Structural Foam, Optical Extrusion
Polycarbonate Blends (PC+PBT), (PC+ABS), (PC+PET), (PC+Polyester), (PC+TPU), (PC+SAN)	Covestro: Bayblend®, Makroblend®, Texin® INEOS Styrolution: Luran® SC, Novodur® Ultra	Flame Retardant, Impact Modified, Reinforced, General Purpose
Polycyclohexylene Dimethylene Terephthalate (PCT)	Celanese: Thermx®	Chemical Resistance to Automotive Fluids and Printed Circuit Board Cleaning Chemicals, Low Moisture Absorption, High CTI and Arc Resistance, High Whiteness and Color Stability
Polyethylene (PE, HDPE, HMW HDPE, LDPE, LLDPE, LMDPE, MDPE, mLLDPE, mMDPE, EPE, ULDPE, VLDPE)	Dow: Agility™, Affinity™, Attane™, Dow™, Dowlex™, Elite™, Evercap™, Fingerprint™, Flexomer™, Health+™, Innate™, Tuflin™, Unival™ LyondellBasell/Equistar: Alathon®, Petrothene®, Purell® Chevron Phillips: Marlex® Westlake	Flexible Film, Blow Molding, Injection Molding & Rotomolding Grades, Metallocene, Hexene, Butene, Octene, Foaming
Polyethersulfone (PESU)	BASF: Ultrason™ Kingfa: Visulfon™	Transparency, High Service Temperatures, Chemical resistance, Glass, Metal, Thermoset, Ceramic Replacement, Hydrolysis Resistance, Medical & FDA grades available
Polyethylene Terephthalate (PET)	Celanese: Rynite®	Fire Retardant, Heat Stabilized, Good Impact Resistance



By Chemistry





Product Family	Product Name	Description/Grades Available
Polyolefin Plastomers (POP)	Dow: AFFINITY™, SEALUTION™, VERSIFY™	Sealability, Optics, Abuse Resistance
Polyphenylene Sulfide (PPS)	Celanese: Fortron®, CoolPoly™	Very Good Resistance to Chemicals and Solvents, Inherent Flame Resistance (UL 94 V-0, Some Grades 5VA), Very Low Moisture Absorption
Polypropylene (PP)	Celanese: OMNIPRO®, Polifor®, Talcoprene® Formerra: Verity™ INEOS Olefins & Polymers: INEOS® INVISTA: INVISTA™ LyondellBasell: Hifax®, Hostacom®, Metocene®, Pro-fax®, Softell® Pinnacle Polymers: Pinnacle™	Homopolymers, Random Copolymers, Clarified, Radiation Resistant, Anti-static
Polypropylene (PP) Filled	GEON Performance Solutions LyondellBasell: Hifax®, Hostacom®, Softell®	Homopolymers, Random Copolymers, Clarified, Radiation Resistant, Anti-static
Polypropylene (PP) Recycled	PureCycle: PureFive™	Homopolymers, 100% Recycled Content, Natural Color, Odorless
Polystyrene (GPPS, HIPS)	Americas Styrenics: Styron™, Styron A-Tech™ PMC: Avantara®	General Purpose, High Impact, Flame Retardant, Ignition Resistant, Specialty Grades, Advanced Styrenic Resins, Structural Foam
Polysulfones (PSU, PESU, PPSU)	BASF: Ultrason®	Mold Release, Glass or Carbon Reinforced, Medical
Purging Compound	Dow: UNIPURGE™ GEON Performance Solutions: Geon®, Kingfa: Visulfon™, OxyPurge™	Polyethylene-based Purging Compound, PVC Purging Compound
Purging Concentrate	Avient: OnCap™ Multi-Purge™	Additive, Increased Production Efficiency
PVC	GEON Performance Solutions: Geon® Vinyl	Flexible, Rigid, Extrusion, Injection Molding, Chlorinated
SAN	INEOS Styrolution: Luran® SAN	General Purpose
Silicone	DuPont: Liveo™	Medical Grade Only
Siloxane	DuPont: Multibase™	Improves Mold Release
SMMA	INEOS Styrolution: NAS®	High Clarity, Food Contact, Low Density, Chemical Resistance
Specialty Formulations	Avient: Complēt™, Edgetek™, FireCon™, Gravi-Tech™, LubriOne™, Maxxam™, Nymax™, OnForce™, Stat-Tech™, Thermo-Tech™	Custom Polymer Formulations, Long & Short Fiber Reinforced, Electrically & Thermally Conductive, EMI/RFI Shielding, Flame Retardant, High Temperature, Chemical Resistance, High Density
Styrene Butadiene Copolymer (SBC)	INEOS Styrolution: K-Resin®, Styroflex®, Styrolux®	Glass-like Clarity, Impact Strength, Good Printability
Thermoplastic Elastomer (TPE)	Avient: Dynaflex™, OnFlex™, reSound™ OM, Versalloy™, Versaflex™, Versollan™, Kraton	Thermoplastic Elastomer Alloy, Food Contact, Easy Processing, Soft Touch
Thermoplastic Copolyester Elastomer (TPC-ET)	Celanese: Hytre®	Heat Resistance, UV Stabilized, Toughness, Food Contact
Thermoplastic Polyester (TP)	Eastman: Durastar™, Provista™	Clarity, High Flow, Mold Release
Thermoplastic Polyolefin Elastomer (TPO (POE))	Avient: Elastamax™ Dow: AFFINITY™ GA, ENGAGE™, VERSIFY™ LyondellBasell: Adflex®, Hifax®, Hostacom®, Softell®	Impact Resistance, Processability, Dimensional Stability, Printability
Thermoplastic Polyurethane (TPU)	Covestro: Desmopan®, Texin®	Flame Retardant, Abrasion Resistant, Fuel Resistant, Food Contact, High Strength
Thermoplastic Vulcanizate (TPV)	Celanese: Santoprene™ TPV (Medical Only)	Elastic Recovery, Chemical & Temperature Resistance, Compliance with Medical Market Standards
Ultra-High Molecular Weight Polyethylene (UHMW-PE)	GUR®, Hostalloy™	Exceptionally High Notched Impact Strength, High Energy Absorption Capacity at High Stress Rate, Excellent Wear-Resistant Properties, Very High Chemical Resistance to Acids, Alkalies, and Corrosive Gases, Highly Resistant to Environmental Stress Cracking, Wide Service Temperature Range

Capabilities

Design Support
Market Intelligence
Material Selection
Custom Formulations
Manufacturing Optimization
Technical Support
Supply Chain Optimization
Regulatory Compliance Support
Global Reach






By Supplier

Supplier	U.S. Manufacturing Available?	Product Family	Product Name	Description/Grades Available
	Yes	GPPS	Styron™	General Purpose, High Impact, Flame Retardant, Ignition Resistant, Specialty Grades, Advanced Styrenic Resins, Structural Foam
		HIPS	Styron A-Tech™, Styron™	
		Additives	OnCap™	Full Portfolio of Polymer Additives
		Colorants	OnColor™	Solid & Liquid Colorants; Standard, Custom & Special Effects
		PA 6, PA 66	Nymax™ Nymax™ PIR	Neat, Ceramic & Glass Fiber Reinforced, Glass & Mineral Filled, Impact Modified, Reduced Moisture, High Heat, Flexible Nylons, Flame Retardant Compounds
	No	Purging Concentrate	OnCap™ Multi-Purge™	Additive, Increased Production Efficiency
		Specialty Formulations	Complēt™, Edgetek™, FireCon™, Gravi-Tech™, LubriOne™, Maxxam™, Nymax™, OnForce™, Stat-Tech™, Therma-Tech™	Custom Polymer Formulations, Long & Short Fiber Reinforced, Electrically & Thermally Conductive, EMI/RFI Shielding, Flame Retardant, High Temperature, Chemical Resistance, High Density
		TPE	Dynaflex™ OnFlex™, reSound™ OM Versalloy™, Versaflex™, Versollan™, Kraton	Thermoplastic Elastomer Alloy, Food Contact, Easy Processing, Soft Touch
		TPO (POE)	Elastamax™	Impact Resistance, Processability, Dimensional Stability, Printability
	No	PESU, PPSU, PSU	Ultrason®	Mold Release, Glass or Carbon Reinforced, Medical
		EVA	Ateva®, Ateva® G Medical Grade	Antioxidant, Food Contact, Low Temperature Heat Seal, Good Toughness, Plastics Modification
		LFT	Celstran®	Very Good Melt Flowability, Very High Impact Resistance, Low Emission Grades, Superior Chemical and Corrosion Resistance, Eco-friendly Processing/Recyclability
		LCP	Vectra®, Zenite®	Heat Resistant, Dimension Stability, Anti-Static, Conductive, Flame Retardant, Hydrolysis Resistant, Mineral/Glass Reinforced
		PA, PA 6, PA 66, PA 6/66 Copolymer, PA 6/66T Copolymer, PA 612, PPA	Celanyl®, CoolPoly®, Ecomid®, Frianyl®, Minlon®, Sellar® PA, Zytel®, Zytel® HTN	Neat, Ceramic & Glass Fiber Reinforced, Glass & Mineral Filled, Impact Modified, Reduced Moisture, High Heat, Flexible Nylons, Flame Retardant Compounds
	Yes	PBT	Celanex®, Crastin®, Vandar®	Enhanced Flow, Hydrolysis Resistant, Good Heat Resistance
		PET	Rynite®	Fire Retardant, Heat Stabilized, Good Impact Resistance
		PCT	Thermx®	Chemical Resistance to Automotive Fluids and Printed Circuit Board Cleaning Chemicals, Low Moisture Absorption, High CTI and Arc Resistance, High Whiteness and Color Stability
		POM	Amcel®, Celcon®, Hostaform®, Kepital®	Good Toughness, Good Heat Distortion Temperature, Excellent Chemical Resistance, Low Moisture Absorption, Resistant to Stress Cracking
		PP	OMNIPRO®, Polifor®, Talcoprene®	High Stiffness and Abrasion Resistance, High Impact and Fatigue Resistance, Excellent Resistance to Chemical Agents, Easy Processability
		PPS	Fortron®	Very Good Resistance to Chemicals and Solvents, Inherent Flame Resistance (UL 94 V-0, Some Grades 5VA), Very Low Moisture Absorption
		TPC-ET	Hytel®	Heat Resistance, UV Stabilized, Toughness, Food Contact
		TPV	Santoprene™ TPV (Medical Only)	Elastic Recovery, Chemical & Temperature Resistance, Compliance with Medical Market Standards
		UHMW-PE	GUR® , Hostalloy™	Exceptionally High Notched Impact Strength, High Energy Absorption Capacity at High Stress Rate, Excellent Wear-Resistant Properties, Very High Chemical Resistance to Acids, Alkalis, and Corrosive Gases, Highly Resistant to Environmental Stress Cracking, Wide Service Temperature Range

* U.S. Manufacturing options may not be available for all products at all times.

By Supplier

Supplier	U.S. Manufacturing Available?	Product Family	Product Name	Description/Grades Available
	Yes	HDPE, HMW HDPE, LDPE, LLDPE, MDPE, mLLDPE, mMDPE	Marlex®	Flexible Film, Blow Molding, Injection Molding & Rotomolding Grades, Metallocene, Hexene, Butene, Octene, Foaming
		PC	Apec®, Makrolon®	Medical/FDA, Flame Retardant, Radiation Grades, Structural Foam, Optical Extrusion
		PC+ABS, PC+ASA, PC+SAN, PC+PBT, PC+PET	Bayblend®, Makroblend®	Flame Retardant, Impact Modified, Reinforced, General Purpose
	Yes	PC+TPU, TPU Ester/Ether	Desmopan®, Texin®	Flame Retardant, Abrasion Resistant, Fuel Resistant, Food Contact, High Strength
		Acetal (POM)	Delrin®	General Purpose, Lubricated, Glass Reinforced, High Flow
		EA	FUSABOND™	Plastic Modification
	Yes	EAA	NUCREL™, SURLYN™	Food Contact, Good Heat Seal, Low Temperature Heat Seal
		EBA, EnBA	ELVALOY™	Slip, Antiblock, Antioxidant, Good Toughness
		EEA	AMPLIFY™, ELVALOY™	Polymer Modification, Excellent Thermal Stability, High Flexibility, Low Temperature Toughness
		EMA	ELVALOY™	Antiblocking, Antioxidant, Slip
		EMAA	NUCREL™, SURLYN™	Good Stability, High Clarity, Antioxidant, Low Hardness
		EMAAA	NUCREL™	Foil Coating, Good Adhesion
		EPE, HDPE, LDPE, LLDPE, MDPE, PE, PE Copolymer, ULDPE, VLDPE	AGILITY™, ATTANE™, DOW™, DOWLEX™, ELITE™, EVERCAP™, FINGERPRINT™, FLEXOMER™, HEALTH+™, INNATE™, SEALUTION™, TUFLIN™, UNIVAL™	Flexible Film, Blow Molding, Injection Molding & Rotomolding Grades, Metallocene, Hexene, Butene, Octene, Foaming
		EVA	ELVALOY™, ELVAX™, FUSABOND™	Antioxidant, Food Contact, Low Temperature Heat Seal, Good Toughness, Plastics Modification
		Ionomer	BEXLOY™, SURLYN™	Antiblock, Food Contact, Slip, Abrasion Resistance
		MAH-g	AMPLIFY™ TY, RETAIN™	Adhesives for Multi-layer Film, Functional Polymers
		OBC	INFUSE™	Excellent Processability, Stain Resistance, High Temperature Resistance, Abrasion Resistance
		POP	AFFINITY™, SEALUTION™, VERSIFY™	Sealability, Optics, Abuse Resistance
		Purging Compound	UNIPURGE™	Polyethylene-based Purging Compound
		TPO (POE)	AFFINITY™ GA, ENGAGE™ VERSIFY™	Impact Resistance, Processability, Dimensional Stability, Printability

* U.S. Manufacturing options may not be available for all products at all times.







Search & Sort Products Online at [Formerra.com](https://formerra.com)

By Supplier

Supplier	U.S. Manufacturing Available?	Product Family	Product Name	Description/Grades Available
	Yes	Silicone	Liveo™	Medical Grade Only
		Siloxane	Multibase™	Improves Mold Release
	Yes	Cellulosics (CA, CAB, CAP)	Tenite™	Acetate, Butyrate, Propionate
		Copolyester, PETG, TP	DuraStar™, Eastar™, Provista™, Tritan™	UV Stabilized, Flame Retardant, Good Impact Resistance, Transparent
		Copolyester Elastomer (COPE)	Neostar™	Good Toughness, Clarity, Puncture Resistance
	No	PA 610, PA 612, PA 1010, PA1012, PA 12, PA12 Elastomers, Transparent PA, PEEK	Evonik: VESTAMID®, TROGAMID® CX	Neat, Ceramic & Glass Fiber Reinforced, Glass & Mineral Filled, Impact Modified, Reduced Moisture, High Heat, Flexible Nylons, Flame Retardant Compounds
	Yes	PP	Formerra: Verity™, VESTAKEEP®	Homopolymers, Random Copolymers, Clarified, Anti-static
	Yes	CPVC, PVC Alloy, PVC Elastomer, PVC Flexible, PVC Rigid, PVC Semi-Rigid, PVC+NBR, PP Compounds	Geon®	Flexible, Rigid, Extrusion, Injection Molding, Chlorinated
	Yes	PP	INEOS®	Homopolymers, Random Copolymers, Clarified, Radiation Resistant, Anti-static
	Yes	ABS	Novodur®, Terluran®	General Purpose, Low Gloss, High Flow, High Impact
		ABS+PA	Terblend® N, Triax®	General Purpose, High Gloss, Glass Reinforced
		ASA	Luran® S	Weatherable, High Gloss, Low Gloss, Excellent Flow
		ASA+PA	Terblend® S	Weatherable, Good Flow, Good Surface Finish, High Impact Resistance, High Gloss
		MABS	Terlux®	Excellent Transparency, Good Chemical Resistance, Good Stiffness
		MBS	Clearblend®, Zylar®	Balance of Toughness, Processability & Clarity
		PC+ABS, PC+ASA	Novodur® Ultra, Luran® SC	Flame Retardant, Impact Modified, Reinforced, General Purpose
		SAN	Luran® SAN	General Purpose
		SBC	K-Resin®, Styroflex®, Styrolux®	Glass-like Clarity, Impact Strength, Good Printability
		SMMA	NAS®	High Clarity, Food Contact, Low Density, Chemical Resistance
	Yes	PP	INVISTA™	Homopolymers, Random Copolymers, Clarified, Radiation Resistant, Anti-static
	No	PSU, PPSU	Visulfon™	Transparency, High Service Temperatures, Chemical resistance, Glass, Metal, Thermoset, Ceramic Replacement, Hydrolysis Resistance, Medical & FDA grades available

* U.S. Manufacturing options may not be available for all products at all times.

By Supplier

Supplier	U.S. Manufacturing Available?	Product Family	Product Name	Description/Grades Available
 LyondellBasell	Yes	ASA, ASA+AES, ASA+TPE	Centrex®	Weatherable, High Gloss, Low Gloss, Excellent Flow
		EVA	Petrothene®, Ultrathene®	Antioxidant, Food Contact, Low Temperature Heat Seal, Good Toughness, Plastics Modification
		HDPE, LDPE, LLDPE	Alathon®, Petrothene®, Purell®	Flexible Film, Blow Molding, Injection Molding & Rotomolding Grades, Metallocene, Hexene, Butene, Octene, Foaming
		PP Alloy	Hifax®, Hostacom®	Homopolymers, Random Copolymers, Clarified, Radiation Resistant, Anti-static
		PP Filled	Hifax®, Hostacom®, Softell®	Homopolymers, Random Copolymers, Clarified, Radiation Resistant, Anti-static
		PP Homopolymer	Pro-fax®	Homopolymers, Random Copolymers, Clarified, Radiation Resistant, Anti-static
		TPO (POE)	Adflex®, Hifax®, Hostacom®, Softell®	Impact Resistance, Processability, Dimensional Stability, Printability
 Pinnacle Polymers	Yes	PP	Pinnacle	Homopolymers, Random Copolymers, Clarified, Radiation Resistant, Anti-static
 PURECYCLE™	Yes	Polypropylene (PP) Recycled	PureFive™	Homopolymers, 100% Recycled Content, Natural Color, Odorless
 RheTech <small>A HEXPOL COMPANY</small>	Yes	PP Filled	Rhetech	Homopolymers, Random Copolymers, Clarified, Radiation Resistant, Anti-static
 TRINSEO	Yes	Acrylic (PMMA)	Plexiglas® Plexiglas® Diffuse™	Copolymer, General Purpose, High Impact, High Flow, Specialty Grades
 Westlake	Yes	EMA	EMAC®	Antiblocking, Antioxidant, Slip
		EVA	Elevate™	Antioxidant, Food Contact, Low Temperature Heat Seal, Good Toughness, Plastics Modification
		LDPE	Westlake	Flexible Film, Blow Molding, Injection Molding & Rotomolding Grades, Metallocene, Hexene, Butene, Octene, Foaming

Convenience
•
Enhanced Visibility
•
24/7 Access

Formerra.com A Personalized Experience

Register for an account at Formerra.com for a personalized experience with access to the information and functionality you need—all in one place!

Registered users get access to:

- Advanced product search and filtering
- Real-time pricing and product information
- Material availability
- Online ordering & reordering
- Order information and shipment tracking

Take The Next Step

Visit **Formerra.com** to:

- Explore solutions by material properties, industries, and suppliers
- Register for an account to gain access to personalized information, ordering, and more!

We're Here To Help

For general inquiries or customer service
Call **1.888.502.0951**

For polymer technical support
Email: **phd@formerra.com**

Experts in these areas and beyond.



Healthcare



Packaging



Consumer



Industrial



Outdoor High
Performance



Electrical &
Electronics



Mobility



Building &
Construction

Copyright © 2024, Formerra, LLC. All the information in this literature is for general information purpose only. Formerra makes no representations, guarantees, or warranties of any kind with respect to the information contained in this literature, including its accuracy, completeness, reliability, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for pricing, property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. Formerra makes no warranties or guarantees respecting suitability of either Formerra's products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. FORMERRA MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or products reflected by the information. This literature or any other provided literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner. Any action you take upon the information you find in this literature is strictly at your own risk. Formerra will not be liable for any losses and/or damages in connection with the use of this literature. By using this literature, you hereby consent to this disclaimer and agree to its terms.